EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	12	"248".clas. and (elevator lift$3 hoist$3) near2 (assembly) near15 ((slot elongat$3) and (end distal extrem$3 outer$4) and (fasten$3 pin secur$4 adjust$4 slid$4 thread$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/08/11 18:21
L9	26	"248".clas. and (elevator lift$3 hoist$3) near2 (fram$4 frame$1work sling ca$2 carriage platform) near15 ((slot elongat$3) and (end distal extrem$3 outer$4) and (fasten $3 pin secur$4 adjust$4 slid$4 thread$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/08/11 18:24
L10	159	248/280.11.ccls. and (fram$3 framework platform base beam floor$3 deck upright sling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/08/11 18:26
L11	122	(248/276.1,281.1,274.1,277.1,298.1.ccls. 187/401,414. ccls.) and @pd>"20090701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/08/11 18:29
L12	198	248/279.1.ccls. and (fram$3 framework platform base beam floor$3 deck upright sling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/08/11 18:32
L13	13	("2524413" | "2965338" | "3085773" | "3114705" | "4113064").PN. OR ("4428460").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/08/11 18:35
S1	2	(("5564529") or ("4361208")).PN.	US-PGPUB; USPAT	OR	OFF	2008/06/08 15:52
S2	6	("4848519" | "5306879").PN. OR ("5564529").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/08 15:53
S3	9	("1035770" | "3043397" | "3741351" | "3954157").PN. OR ("4361208").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/08 15:55
S4	50	(("20070089936") or ("5564529") or ("3650356") or ("3707205") or ("3990589") or ("4576539") or ("6481534") or ("5299662") or ("5322144") or ("6668980") or ("7096998") or ("20030010577") or ("20040079594") or ("20050045426") or ("20050045427") or ("20050045428") or ("20050103575") or ("20070271863") or ("4061257") or ("4066172") or ("4565262") or ("4749317") or ("4793470") or ("4863596") or ("5040809") or ("5379859") or ("5468114") or ("5615814") or ("6014936") or ("6543733") or ("6729075") or ("20030209925") or ("20030213413") or ("20030214172") or ("20040104613") or ("20070045048") or ("20070232965") or ("3705610") or ("3672471") or ("4471587") or ("4556128") or ("RE33595") or ("5855501") or ("6845860") or ("20050092537") or ("4936227") or ("5133567") or ("4465420") or ("6722475") or ("20030217896")).PN.	US-PGPUB; USPAT	OR	OFF	2008/06/08 15:56
S5	49	S4 not (S1 S2 S3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 15:56
S6	230	187/401,414.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 (level$4 balanc$4 right $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 16:03

S7	220	S6 not (S1 S2 S3 S4 S5)	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT	OR	ON	2008/06/08 16:04
S8	131	187/401.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 (level$4 balanc$4 right $3)	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT	OR	ON	2008/06/08 16:17
S9	10	S8 not S7	US-PGPUB; USPAT; USOCR, EPO; JPO; DERWENT	OR	ON	2008/06/08 16:17
S10	29	("1907967" | "2246732" | "3708991" | "4412601" | "4548297" | "4599832" | "4657116" | "4766708" | "5005671" | "5020639" | "5025893" | "5074382" | "5181586" | "5230404" | "5325937" | "5490577" | "5566786" | "5584364" | "5597988" | "5611412" | "5811743" | "5832688" | "5845745" | "5881843" | "5881845" | "6164418" | "6364063").PN. OR ("6668980").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/08 16:18
S11	10	("1907967" | "2214139" | "4899852" | "5074382" | "5129485").PN. OR ("5325937").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/08 16:19
S12	5	("1907967").URPN.	USPAT	OR	ON	2008/06/08 16:20
S13	5	("1907967").URPN.	USPAT	OR	ON	2008/06/08 16:22
S14	9	254/129,130.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 (level$4 balanc$4 right $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 16:55
S15	19	187/401,414.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 distribut$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 16:55
S16	1	254/129,130.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 distribut$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 16:56
S17	18	(S9 S15 S16) not (S1 S2 S3 S4 S5 S9 S10 S11 S12 S13)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 16:56
S18	4	("20040206580" | "3704799" | "6202801" | "6880678").PN. OR ("7337980").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/08 16:57
S19	14	("1406942" | "3704799" | "3942663" | "4166517" | "4415066" | "4943204" | "5979606").PN. OR ("6202801").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/08 16:58
S20	0	("2208968").URPN.	USPAT	OR	ON	2008/06/08 17:00
S21	39	248/276.1,277.1.ccls. and (cab car cage basket enclos $3 carriage fram$5 platform) near8 (level$4 balanc$4 right$3 distribut$3 orthogonal$2 normal$2 square$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 17:08
S22	26	248/279.1.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 (level$4 balanc$4 right $3 distribut$3 orthogonal$2 normal$2 square$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 17:08
S23	63	S21 S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 17:08

S24	27	248/276.1,277.1.ccls. and (fram$5 platform base beam) with ((level$4 balanc$4 right$3 distribut$3 orthogonal$2 normal$2 square$1) and (slot (elongat$3 co$1linea$3 co $1exten$4) adj (open$3 aperture)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 17:12
S25	10	248/287.1.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 (level$4 balanc$4 right $3 distribut$3 orthogonal$2 normal$2 square$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 17:13
S26	25	(S24 S25) not S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/06/08 17:14
S27	10	("3623707" | "4749169" | "5261645" | "5366203" | "5379977" | "5582378" | "5725069").PN. OR ("6345799").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/06/08 17:14
S28	244	187/401,414.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 (level$4 balanc$4 right $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/03 19:57
S29	107	187/401,414.ccls. and (cab car cage basket enclos$3 carriage fram$5 platform) near8 (adjust$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/03 19:57
S30	187	S28 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/03 19:58
S31	450	248/566,274.1,276.1,298.1.ccls. and (piston cylind$6 pneumatic$4 damp$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/03 20:17
S32	8	("3356329").URPN.	USPAT	OR	ON	2009/05/03 20:20
S33	387	248/566,274.1,276.1,298.1.ccls. and (piston cylind$6 pneumatic$4 damp$5) and (adjust$4 varia$4 increment $4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/03 20:23
S34	457	248/566,274.1,276.1,298.1.ccls. and (thread$4 fasten$3 secur$4 releas$4) near8 (slot$3 open$3 apertur$4 slit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/03 20:38
S35	282	S34 not (S31 S32 S33)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/05/03 20:39
S36	1	("2914286").URPN.	USPAT	OR	ON	2009/05/03 20:41
S37	28	("1907967" | "2246732" | "3708991" | "4412601" | "4548297" | "4599832" | "4657116" | "4766708" | "5005671" | "5020639" | "5025893" | "5074382" | "5181586" | "5230404" | "5325937" | "5490577" | "5566786" | "5584364" | "5597988" | "5604331" | "5611412" | "5811743" | "5832688" | "5845745" | "5881843" | "5881845" | "6164418" | "6364063").PN.	US-PGPUB; USPAT	OR	ON	2009/09/12 17:43
S38	10	("1907967" | "2214139" | "4899852" | "5074382" | "5129485").PN. OR ("5325937").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/09/12 17:45
S39	1009	187/401,414.ccls. and (cab car$1 cage basket enclos$3 carriage fram$5 platform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 17:48

S40	503	S39 and (cab car$1 cage basket enclos$3 carriage fram $5 platform) near4 (assembl$3 frame4 hous$3 enclos $3 structur$4 arrang$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 17:50
S41	1065	248/276.1,287.1,566,274.1,277.1,298.1.ccls. and (fram $3 framework platform base beam floor$3 deck upright sling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 18:23
S42	522	S41 and (slot$4 (elongat$3 co$1linea3 co$1exten$4) adj (open$3 aperture groov$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 18:24
S43	335	S41 and (brac$3 bar rod connect$3 mount$3 support$3 level$3 balanc$3) near6 (slot$4 (elongat$3 co$1linea3 co$1exten$4) adj (open$3 aperture groov$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 18:25
S44	1	("2914286").URPN.	USPAT	OR	ON	2009/09/12 18:31
S45	574	S41 and (brac$3 bar rod connect$3 mount$3 support$3 level$3 balanc$3) near10 ((slot$4 open$3 aperture groov $3) and (adjust$4 lengthen$3 shorten$3 increas$3 decreas$3 longer shorter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 18:58
S46	293	S45 not (S43 S44 S37 S38 S40)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 18:59
S47	10	("3362738").URPN.	USPAT	OR	ON	2009/09/12 19:06
S48	1	JP-52047246-$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 20:04
S49	53	S41 and (rectilinea$4 elongat$3) near10 ((slot$4 open $3 aperture groov$3) and (adjust$4 lengthen$3 shorten $3 increas$3 decreas$3 longer shorter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 20:09
S50	6	S49 not (S43 S44 S37 S38 S40 S46 S47 S48)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2009/09/12 20:10

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	186	((elevator lift$3 hoist$3) near4 (fram$4 frame $1 work sling ca$2 carriage platform assembly upright) and ((slot elongat$3) and (end distal extrem$3) and (fasten$3 pin secur$4 thread$3) and (adjust$4 slid$4) and (leg "V" overlap$4 overlay$3)) near10 (brac$4 support$3 member structural)).clm.	US-PGPUB; USPAT	OR	ON	2010/08/11 18:48
L16	2	((elevator lift$3 hoist$3) near4 (fram$4 frame $1 work sling ca$2 carriage platform assembly upright) and ((slot elongat$3) and (end distal extrem$3) and (fasten$3 pin secur$4 thread$3) and (adjust$4 slid$4) and (leg "V") and (overlap $4 overlay$3)) near10 (brac$4 support$3 member structural)).clm.	US-PGPUB; USPAT	OR	ON	2010/08/11 18:50

8/11/2010 6:58:03 PM
C:\Documents and Settings\skruer\My Documents\EAST\Workspaces\Search - Elevator Car Assy having an Adjustable Frame -
10577986.wsp